

**SPIDER
SECURITY
PRODUCTS**



PRODUCT CATALOG V1.13

**PHYSICAL
SECURITY
REDEFINED**

SSP PART NUMBER

SPIDER DOOR CONTACTS

LIST PRICE

SSP-SDC-101-B	Spider Door Contact: Black Color, Flush-mount, Bypass Magnet Resistant, 1 Inch, SPST (Normally Closed), comes with 3/8" Spider Magnet Capsule & Universal Cap. [Qty 1 Set] (Will be available in 2020)	TBD
SSP-SDC-101-W	Spider Door Contact: White Color, Flush-mount, Bypass Magnet Resistant, 1 Inch, SPST (Normally Closed), comes with 3/8" Spider Magnet Capsule & Universal Cap. [Qty 1 Set] (Will be available in 2020)	TBD
SSP-SDC-201	Spider Magnet Capsule: White Color, ABS Plastic, 3/8" Diameter Magnet Capsule with .25"x1.00" Neo Magnet, Threaded design allows for vertical adjustment when used with the Spider Universal Cap (not included). Compatible with Spider & Reed Switch Door Contacts.[10 Pack]	\$79.96
SSP-SDC-211	Spider Universal Cap: White Color, (The Spider Magnet Capsule inserts into this Universal Cap), Patented 'invertable' Design accommodates doors with or without top channel cavities. [10 Pack]	\$79.96

SSP PART NUMBER

SPIDER BLOCKERS

LIST PRICE

SSP-SBL-301	Spider Blocker: (Board Dimensions 2.83"W x 2.60"H x 1.00"D) Provides real-time anti-hacking protection for (1) Access Controlled Reader Device (that uses 2 wire communications protocols: such as Wiegand/Clock&Data/ABA/RS232/RS485/F-2F/Match/OSDP); 12VDC Operational Voltage; Each Spider Blocker bears: (1) Unprotected Reader Input, (1) Protected Reader Output, (2) Aux Relay Outputs, (1) Reset Pushbutton, (1) Remote Trigger Input, (1) Remote Reset Input, (2) LED Indicators for "Normal" or "Alarm" Status, and (2) Protection Fuses; Access control reader device MUST be equipped with Tamper Switch for proper protection. (Optional Universal Mounting Kit SSP-SBL-301-MNT not included). Made in the USA. [Qty 1]	\$89.96
SSP-SBL-301-MNT	Spider Blocker Universal Mounting Kit: Undercarriage attachment Kit for the [SSP-SBL-301] Spider Blocker Module, [Mounting Option #1: 2-Screw Surface Mount] or [Mounting Option #2: 15/35mm DIN Rail Mount]; Black Color; Made of Durable High Quality ABS Plastic; Screwdriver Tabs for Easy Removal from DIN Rails; DIN Mount Dimensions (No Board) 3.1875"L x 3.375"W x 1.50"H; Panel Mount Dimensions (No Board) 3.1875"L x 3.375"W x 0.625"H, (Spider Blocker Module and DIN Rail not included). Made in India. [Qty 1]	\$19.96
SSP-SBL-308	Spider Blocker Box 8 (Eight Spider Blocker Modules are included): Provides real-time anti-hacking protection for up to (8) Access Controlled Reader Devices (devices that use 2 wire communications protocols: such as Wiegand/Clock&Data/ABA/RS232/RS485/F-2F/Match/OSDP); 12VDC Operational Voltage; Each Spider Blocker bears: (1) Unprotected Reader Input, (1) Protected Reader Output, (2) Aux Relay Outputs, (1) Reset Pushbutton, (1) Remote Trigger Input, (1) Remote Reset Input, "Normal" and "Alarm" Status LED Indicators, and (2) Protection Fuses; Access control reader devices MUST be equipped with Tamper Switches for proper protection. Includes Black Metal NEMA I Wall Mount Enclosure with Hinged Door, Dimensions (D x W x H) 5" x 21.25 x 13.75"; Enclosure includes (Lot) Pre-assembled 4-40 Standoffs for Spider Blockers, (Lot) 1" Wire Duct Cable Managers, (1) Tamper Alarm Switch, (4) Snap-on Grommets, (4) Mounting Screws and Washers, (2) Hard Keys, & (1) 2.5mm Screwdriver. Made in the USA. (Qty 1 Eight Reader Protection Kit]	\$1,199.96
SSP-SBL-308-CAN	Spider Blocker Box 8 (Can & Contents Only) ***Spider Blocker Modules are not included*** Black Metal NEMA I Wall Mount Enclosure with Hinged Door, Dimensions (D x W x H) 5" x 21.25 x 13.75"; Enclosure includes pre-assembled 4-40 Standoffs for (Eight) Spider Blockers, (Lot) 1" W x 2" D Cable Managers, (1) Enclosure Tamper Alarm Switch, (4) Snap-on Grommets, (4) Mounting Screws and Washers, (2) Hard Keys and (1) Spider Screwdriver. Made in the USA. [Qty 1 Enclosure with Accessories - Excluding only the 8 Spider Blocker Modules]	\$599.96
SSP-SBL-316	Coming Soon!	TBD

SSP PART NUMBER

SPIDER RESISTOR PACKS

LIST PRICE

SSP-DST-1K2K-RESPK	Spider Resistor Pack: (Formation A: 1K/2K Ohms), (Formation B: 1K/.5K Ohms), 5% Tolerance, 1/4 Watt Resistors, [10 Packs Per Order]	\$39.96
SSP-DST-4K7-RESPK	Spider Resistor Pack: (Formation A: 4.7K/9.4K Ohms), (Formation B: 4.7K/2.35K Ohms), 5% Tolerance, 1/4 Watt Resistors, [10 Packs Per Order]	\$49.96
SSP-DST-510K-RESPK	Spider Resistor Pack: (Formation A: 5K/10K Ohms), (Formation B: 10K/5K Ohms), 5% Tolerance, 1/4 Watt Resistors, [10 Packs Per Order]	\$49.96
SSP-OSDP-RESPK	Spider Resistor Pack: 120 Ohms, 2% Tolerance, 1/4 Watt Resistors, [10 Packs Per Order]	\$49.96

SSP PART NUMBER	SPIDER ACCESS: READERS - TAMPER SWITCHES - CARDS - CARDHOLDERS- FOBS	LIST PRICE
SSP-RDR-815-B	Coming Soon!	TBD
SSP-RDR-815-G	Coming Soon!	TBD
SSP-RDR-815-W	Coming Soon!	TBD
SSP-RDR-840-B	Coming Soon!	TBD
SSP-RDR-840-G	Coming Soon!	TBD
SSP-RDR-840-W	Coming Soon!	TBD
SSP-RDR-870	Coming Soon!	TBD
SSP-RDR-880-TAMPER-PRS	Spider Tamper Switch: 3/8" "Press-fit" Plunger Switch; 1" Length, Color=Gray; For monitoring the removal of access devices; Normally Closed Output; 14" Grey Leads, 22AWG wires. [8 Pack]	\$49.96
SSP-RDR-882-TAMPER-FLG	Spider Tamper Switch: 3/8" "Flanged" Plunger Switch; Butterfly Ears with Mounting Holes; 1" Length, Color=Gray; For monitoring the removal of access devices; Normally Closed Output; 14" Grey Leads, 22AWG wires, (2) #4 mounting screws included. [8 Pack]	\$49.96
SSP-RDR-884-TAMPER-BRK	Spider Tamper Switch: 3/8" "Bracketed" Plunger Switch; Bracket affixes to Thinwall Enclosures and Electrical backboxes; 2" Length, Color=Gray; For monitoring the removal of access devices; Normally Closed Output; 14" Grey Leads, 22AWG wires. [8 Pack]	\$59.96
SSP-RDR-890-CARDS	Coming Soon!	TBD
SSP-RDR-894-HOLD	Coming Soon!	TBD
SSP-RDR-895-FOBS	Coming Soon!	TBD
SSP-PWR-1205	Spider Power Supply: Matte Black Finish; Indoor Applications Only; 115VAC IN @ 60Hz, 12VDC OUT @ 5A; (Qty 1) 9 Channel Fused Output Board; Front Panel LED Indicator System displaying: AC IN/DC OUT/LOW BATT/CHARGING; Enclosure Dimensions: 9.00"H x 7.50"W x 3.00"D. [Qty 1 Power Supply Only]	\$99.96
SSP-PWR-2405	Spider Power Supply (Max. 8 Locks): Matte Black Finish; Indoor Applications Only; 115VAC IN @ 60Hz, 24VDC OUT @ 5A; (Qty 1) 8 Channel Fused Relay Lock Output Board; Front Panel LED Indicator System displaying: AC IN/DC OUT/LOW BATT/CHARGING; Enclosure Dimensions: 15.50"H x 12.00"W x 5.50"D. [Qty 1 Power Supply Only] (Will be available in 2020)	TBD
SSP-PWR-2410	Spider Power Supply (Max. 16 Locks): Matte Black Finish; Indoor Applications Only; 115VAC IN @ 60Hz, 24VDC OUT @ 10A; (Qty 2) 8 Channel Fused Relay Lock Output Boards; Front Panel LED Indicator System displaying: AC IN/DC OUT/LOW BATT/CHARGING; Enclosure Dimensions: 15.50"H x 12.00"W x 5.50"D. [Qty 1 Power Supply Only] (Will be available in 2020)	TBD
SSP PART NUMBER	SPIDER REXS	LIST PRICE
SSP-REX-960-B	Coming Soon!	TBD
SSP-REX-960-W	Coming Soon!	TBD
SSP PART NUMBER	SPIDER TOOLS AND ACCESSORIES	LIST PRICE
SSP-ACC-CLIPBOARD	Spider Field Clipboard: Sleek, flexible design fits into technician tool bags, briefcases & backpacks; Quality Black Vinyl Finish; Spring-Loaded Clip; Cover has an inside pocket that can fit A4-sized (8.5"x11") paper; Includes (1) 50 Sheet White Legal Pad; BONUS: (1) Black Spider Permanent Marker included [Qty 1]	\$14.96
SSP-ACC-DRILLSHIELD-012	Coming Soon!	TBD
SSP-ACC-DRILLSHIELD-038	Spider Drill Shield with 3/8" High Speed Shank; 3" Clear Protective Flexible Cup designed to minimize metal shrapnel from striking installer; Requires Extended 3/8" Shaft Shanks [Qty 1]	\$29.96
SSP-ACC-FUSE-KIT	Spider Fuse Kit: Low Voltage Contractor Fuse & Accessory Kit includes 96 Pieces --- (1) Organizer Case, (5) Mini ATM Blade Fuseholders, (1) Extraction Tool, (30) ATM Mini ATM Blade Fuses [Assorted 1, 3, 7.5, 15 Amps], (30) 5mmx20mm Fuses [Assorted 1, 3, 5, 10 Amps], (30) 6mmx30mm Fuses [Assorted 1, 3, 5, 10 Amps] [Qty 1 Kit]	\$19.96

<u>SSP-ACC-LIGHT-KIT</u>	Spider LED Light Kit: Illuminates enclosures bright upon panel door opening. Set includes (1) 7" LED Aluminum Bar w/ pre-installed Foam Mounting Pads, (1) Door Switch (Remove rivets from bracket for flat-surface mounting), and (2) #4 screws for direct mounting. LED and Switch bear Extra-Length 36" Wires. [Qty 1]	\$19.96
<u>SSP-ACC-SCREWDRIVER-025</u>	Spider Screwdriver: Ergonomically handled screwdriver with hardened 2.5mm slotted tip and spinning cap for easy turning. Made of the highest quality materials. [Qty 1]	\$9.96
SSP-ACC-SHIRT-BLK	Spider Shirt: Black, 100% Soft Cotton, Next Level Fitted Shirt, Men's Sizes [Black Color]	\$26.96
SSP-ACC-SHIRT-WHT	Spider Shirt: Black, 100% Soft Cotton, Next Level Fitted Shirt, Men's Sizes [White Color]	\$26.96
<u>SSP-ACC-STEP-001</u>	Spider One Inch Step Bit: Perfect for drilling Door Contact Sensors; Made of Molybdenum 7 Metal; Split-Point Tip; Sizes 9/16" to 1"; Steps are in 1/16" increments; Extended Length 3/8" shank [Qty 1]; Made in the USA. Lifetime Warranty (against breakage). [Qty 1]	\$39.96
SSP-ACC-STICKER-001	Spider Safety Stickers for Ladders: (1) Red "TERMINATED" Sticker and (Qty 1) Yellow "SUSPENDED" Sticker. Dimensions 1.00" x 6.75"	\$3.96
SSP-ACC-STICKER-003	Spider Safety Stickers for Ladders: (3) Red "TERMINATED" Sticker and (Qty 3) Yellow "SUSPENDED" Sticker. Dimensions 1.00" x 6.75"	\$9.96
SSP-ACC-STICKER-010	Spider Safety Stickers for Ladders: (10) Red "TERMINATED" Sticker and (Qty 10) Yellow "SUSPENDED" Sticker. Dimensions 1.00" x 6.75"	\$29.96
SSP-ACC-SUPER-METER	Coming Soon!	TBD
<u>SSP-ACC-TEST-MAG</u>	Spider Testing Magnet: Maximum Strength N48 Neodymium Magnet; 1"x1"x2"; Ideal for testing various Door Contact Sensor Technologies; [Qty 1]	\$29.96
SSP-ACC-VOLT-2412	Spider Voltage Converter: Converts 24VDC to 12VDC, Maximum 60 Watts. [Qty 1]	\$24.96

PRICES SUBJECT TO CHANGE - ALL RIGHTS RESERVED - CONTACT US AT SALES@SPIDERPROTECT.COM